



Material Safety Data Sheet

Printed : 27/03/2020

: CP01-1-CLP from 27/03/2020

CP42964 JUST BLACK

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product identifier

CP42964 JUST BLACK

1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use in fragrance industry.

1.3. Details of the supplier of the safety data sheet

Company: JEAN CLAUDE / KEMA CLUB
107023 Россия, г. Москва
ул. Суворовская, 6/5

Tel: +7(495)926-67-92

Email :info@kemaclub.ru

1.4. Emergency telephone number

ORFILA: +33 (0) 1 45 42 59 59

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

GHS classification according to CE 1272/2008

(Législation : CLP)

Eye Irrit. 2	Serious eye damage / eye irritation 2
Aquatic Chronic 2	Hazardous to the aquatic environment, long-term hazard 2
Skin Irrit. 2	Skin corrosion / irritation 2
Skin. Sens. 1	Sensitisation skin 1

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements

GHS classification according to CE 1272/2008

(Législation : CLP)

Warning mention : Warning

Eye Irrit. 2	Serious eye damage / eye irritation 2
Aquatic Chronic 2	Hazardous to the aquatic environment, long-term hazard 2
Skin Irrit. 2	Skin corrosion / irritation 2
Skin. Sens. 1	Sensitisation skin 1

Material Safety Data Sheet


Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.
 H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 - Wash thoroughly after handling.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water/...



2.3. Other hazards

Contains : Dihydromyrcenol, 3,7-Dimethyl-1,6-nonadien-3-ol, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Iso E Super)

3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

3.1. Substances

Not applicable

3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Percent %
Dihydromyrcenol (No REACH : 01-2119457274-37)	18479-58-8.	242-362-4	Eye Irrit. 2, Skin Irrit. 2 - H315, H319	[5-10]
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Iso E Super) (No REACH : 01-2119489989-04)	54464-57-2.	259-174-3	Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1 - H315, H317, H411	[0-5]
1-(2,2,6-Trimethylcyclohexyl)-3-hexanol (No REACH : pre-registration)	70788-30-6	274-892-7	Skin. Sens. 1B - H317	[0-5]
2-tert-Butylcyclohexyl acetate	88-41-5	201-828-7	Aquatic Chronic 2 - H411	[0-5]
3,7-Dimethyl-1,6-nonadien-3-ol (No REACH : 01-2119969272-32)	10339-55-6	233-732-6	Eye Irrit. 2, Skin Irrit. 2 - H315, H319	[0-5]
4-Methyl-3-decen-5-ol (No REACH : 01-2119983528-21)	81782-77-6	279-815-0	Aquatic Acute 1, Aquatic Chronic 2 - H400, H411	[0-5]
Acetyl cedrene	32388-55-9	251-020-3	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H317, H410	[0-5]
Allyl (cyclohexyloxy)acetate	68901-15-5	272-657-3	Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1 - H302, H410	[0-5]
Allyl cyclohexanepropionate	2705-87-5	220-292-5	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1A - H302+H312, H302+H312+H332, H302+H332, H317, H410	[0-5]

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

Butylated hydroxytoluene (No REACH : 01-2119480433-40)	128-37-0	204-881-4	Aquatic Acute 1, Aquatic Chronic 1 - H410	[0-5]
Cedrol methyl ether (No REACH : 01-2120228335-61)	19870-74-7	243-384-7	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H317, H410	[0-5]
Methyl atrarate	4707-47-5	225-193-0	Skin. Sens. 1B - H317	[0-5]
PRECYCLEMONE B (No REACH : 01-2120735080-68)	52475-86-2	257-942-2	Aquatic Acute 1, Aquatic Chronic 1 - H410	[0-5]
alpha,alpha-Dimethyl-p-ethylphenylpropanal (No REACH : 01-2120758796-34)	67634-15-5	266-819-2	Aquatic Acute 1, Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H400, H411	[0-5]
alpha-Cedrene (No REACH : 01-2120744063-63)	469-61-4	207-418-4	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1 - H304, H410	[0-5]
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde (No REACH : 01-2120740119-58)	1205-17-0	214-881-6	Aquatic Chronic 2, Repr. 2, Skin. Sens. 1B - H317, H361, H411	[0-5]

4. FIRST AID MEASURES

4.1. Description of first aid measures

Contact with skin : wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes : Abundant rinsing with water (15 minutes with open eyelids).

In the event of swallowed : Rinse mouth with water.

Soiled clothing : withdraw soiled clothing.

If symptoms persist, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Unavailable data

4.3. Indication of any immediate medical attention and special treatment needed

Refer to § 4.1

5. FIRE FIGHTING

5.1. Extinguishing methods

CO2, powder or foam.

5.2. Special hazards arising from the substance or mixture

Flammability : The product is not flammable.

Prevention : Do not smoke. Do not use flame near.

5.3. Advice for firefighters

Fire procedures for chemical origin.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

Use appropriate personal protective equipment. Respect §2.2 recommendations.

6.2. Environmental precautions

Do not allow to enter sewers/surface or ground water.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand or inert absorbant product). Eliminate waste and waters according to applicable regulations.

6.4. Reference to other sections

Not applicable

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Close packaging after use. Reprint labelling if transfer in another container.

7.2. Conditions for safe storage, including any incompatibilities

- Keep away from food and drinks.
- Preserve only in the container of origin in a fresh place, between 15 and 25°C. Keep the containers closed when not in use.
- Do not let it near heat source, direct rays of the sun

7.3. Specific end use(s)

Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Not applicable.

8.2. Exposure controls

General protective and hygienic measures: Avoid skin and eyes contact. Do not eat. Keep away from foodstuffs, beverages and feed.

Personal Protection :

- Hand protection: Wear gloves.
- Eye protection: Wear glasses.
- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respect §2.2 recommendations

9. PHYSICAL AND CHEMICAL PROPERTIES

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

9.1. Information on basic physical and chemical properties

COLOR : COLOURLESS TO PALE YELLOW
 APPEARANCE : LIQUID
 HYDROSOLUBILITY : NO
 SOLUBILITY WITH SOLVENT : ETHANOL
 RELATIVE DENSITY (20°C) : [0.988 ; 0.998]
 REFRACTIVE INDEX (20°C) : [1.446 ; 1.456]
 FLASH POINT (°C) : >93°C

9.2. Other information

Not applicable

10. STABILITY AND REACTIVITY

10.1. Reactivity

No particular danger.

10.2. Chemical stability

Stable in normal conditions of storage and use.

10.3. Possibility of hazardous reactions

Avoid contact with acids, bases and oxidizing agents.

10.4. Conditions to avoid

Direct source of heat.

10.5. Incompatible materials

Acids - bases - oxidizing agents.

10.6. Hazardous decomposition products

In case of combustion: Possibility of CO, CO2 and unidentified organic compounds liberation.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicology

This mixture was not the object of tests of ecotoxicity as such, but it is constituted by substances having a bibliography established on their ecotoxicity. Substances of this mixture taken into account to determine the toxic potential effects are listed in the section 3.

12. ECOLOGICAL INFORMATION

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

12.1. Toxicity

Do not let the product penetrate the ground water, water or the drains.

12.2. Persistence and degradability

Unavailable data

12.3. Bioaccumulative potential

Unavailable data

12.4. Mobility in soil

Unavailable data

12.5. Results of PBT and vPvB assessment

Unavailable data

12.6. Other adverse effects

Unavailable data

13. DISPOSAL RECOMMENDATIONS

13.1. Waste treatment methods

Eliminate waste according to current regulations

14. TRANSPORT INFORMATION


ADR:



IMDG:



IATA:



14.1. UN number

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

ADR : 3082 (Tunnel code :(E))
 IMDG:3082
 IATA :3082

14.2. UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acetyl cedre ne)
 IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acetyl cedre ne)
 IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acetyl cedre ne)

14.3. Transport hazard class(es)

ADR : 9
 IMDG:9
 IATA :9

14.4. Packaging group

ADR : III
 IMDG:III
 IATA :III

14.5. Environmental hazards

IMDG : Material of marine polluting type :

14.6. Special precautions for user

Refer to   2

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification according to CE 830/2015 and CE 1272/2008.

15.2. Chemical safety assessment

Unavailable data

16. OTHER INFORMATION

Complete text of sentences H in point 3 :

H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H302+H332	Harmful if swallowed or if inhaled
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Material Safety Data Sheet

Printed : 27/03/2020

CP42964 JUST BLACK

: CP01-1-CLP from 27/03/2020

H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

These indications are established on the current state of our knowledge, according to the data obtained from our suppliers. They do not constitute a guarantee and do not give rise to a contractual legal report.

List of modified points : 2.3 3.2 14 16