


CREATION ORIGINALE KE83753 - 35998



SAFETY DATA SHEET
(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CREATION ORIGINALE KE83753

Product code : 35998.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Fragrance compounds

1.3. Details of the supplier of the safety data sheet

Зарегистрированное имя компании : JEAN CLAUDE / KEMA CLUB

Адрес : 107023 , . , . , .6\5

Телефон : +7(495)109-18-18

info@kemaclub.ru

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : ORFILA/INRS + 33 (0)1 45 42 59 59 (24h/24 7j/7).

Other emergency numbers

+33 (0)4 13 940 009: available between 9 AM - 12 AM and 13h30 PM - 18h30PM at GMT +1

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS09

Signal Word :

WARNING

Product identifiers :

EC 204-262-9	BENZYL SALICYLATE
EC 227-813-5	D-LIMONENE
EC 237-539-8	CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL
EC 203-375-0	DL-CITRONELLOL
EC 259-174-3	1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE
EC 204-116-4	LINALYL ACETATE
EC 204-872-5	BETA-PINENE
EC 201-134-4	LINALOOL
EC 203-161-7	2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE
EC 202-086-7	COUMARIN
EC 202-983-3	ALPHA-HEXYLCINNAMALDEHYDE
EC 251-020-3	ACETYL CEDRENE
EC 207-431-5	EUCALYPTOL
EC 245-833-2	1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE

Hazard statements :

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

CREATION ORIGINALE KE83753 - 35998

H411	Toxic to aquatic life with long lasting effects.
Precautionary statements - Prevention :	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash ... thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response :	
P302 + P352	IF ON SKIN: Wash with plenty of water/...
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see ... on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 603-212-00-7 CAS: 1222-05-5 EC: 214-946-9 REACH: 01-2119488227-29 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN	GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		2.5 <= x % < 10
CAS: 63500-71-0 EC: 405-040-6 REACH: 01-0000015458-64-0004 TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, MIXED ISOMERS (CIS AND TRANS)	GHS07 Wng Eye Irrit. 2, H319		2.5 <= x % < 10
CAS: 118-58-1 EC: 204-262-9 REACH: 01-2119969442-31-XXXX BENZYL SALICYLATE	GHS07 Wng Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412		2.5 <= x % < 10
CAS: 10339-55-6 EC: 233-732-6 REACH: 01-2119969272-32-0000 3,7-DIMETHYL-1,6-NONADIEN-3-OL	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319		2.5 <= x % < 10
HYDROCARBONS	GHS08 Dgr Asp. Tox. 1, H304		2.5 <= x % < 10

CREATION ORIGINALE KE83753 - 35998

CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47-XXXX D-LIMONENE	GHS08, GHS02, GHS07, GHS09 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		2.5 <= x % < 10
CAS: 88-41-5 EC: 201-828-7 REACH: 01-2119970713-33-XXXX 2-TERT-BUTYLCYCLOHEXYL ACETATE	GHS09 Wng Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 13828-37-0 EC: 237-539-8 REACH: 01-2119983532-32-XXXX CIS-4-(ISOPROPYL)CYCLOHEXANEMETHANOL	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 65113-99-7 EC: 265-453-0 REACH: 01-2119975588-15-0000 5-(2,2,3-TRIMETHYL-3-CYCLOPENTENYL)-3-METHYLPENTAN-2-OL	GHS07, GHS09 Wng Eye Irrit. 2, H319 Aquatic Chronic 2, H411		0 <= x % < 2.5
CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23-XXXX DL-CITRONELLOL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 2.5
CAS: 54464-57-2 EC: 259-174-3 REACH: 01-2119489989-04-XXXX 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 115-95-7 EC: 204-116-4 REACH: 01-2119454789-19-0001 LINALYL ACETATE	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 2.5
CAS: 127-91-3 EC: 204-872-5 REACH: 01-2119519230-54-0000 BETA-PINENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 128-37-0 EC: 204-881-4 REACH: 01-2119555270-46-XXXX BUTYLATED HYDROXYTOLUENE	GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1	[1]	0 <= x % < 2.5
CAS: 78-70-6 EC: 201-134-4 REACH: 01-2119474016-42-0000 LINALOOL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 2.5

CREATION ORIGINALE KE83753 - 35998

CAS: 103-95-7 EC: 203-161-7 REACH: 01-2119970582-32-0000 2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412		0 <= x % < 2.5
CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119943756-26-0001 COUMARIN	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 101-86-0 EC: 202-983-3 REACH: 01-2119533092-50-0000 ALPHA-HEXYLCINNAMALDEHYDE	GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1		0 <= x % < 2.5
CAS: 32388-55-9 EC: 251-020-3 REACH: 01-2119969651-28-XXXX ACETYL CEDRENE	GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
CAS: 470-82-6 EC: 207-431-5 REACH: 01-2119967772-24-0018 EUCALYPTOL	GHS02, GHS07 Wng Flam. Liq. 3, H226 Skin Sens. 1B, H317		0 <= x % < 2.5
CAS: 23696-85-7 EC: 245-833-2 REACH: 01-2120105798-49-XXXX 1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411		0 <= x % < 2.5

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limits :**

- France (INRS - ED984 / 2019-1487) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
128-37-0	-	10	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
128-37-0	- ppm 10 mg/m ³	- ppm - mg/m ³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Short term local effects.
0.525 mg of substance/cm²

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term systemic effects.
18.2 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term local effects.
0.525 mg of substance/cm²

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Short term local effects.
6.28 mg of substance/m³

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
0.078 mg of substance/m³

LINALOOL (CAS: 78-70-6)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Short term systemic effects.
5 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Short term local effects.
15 mg of substance/cm²

Exposure method:
Potential health effects:

Dermal contact.
Long term systemic effects.

CREATION ORIGINALE KE83753 - 35998

DNEL : 2.5 mg/kg body weight/day

Exposure method: Dermal contact.
Potential health effects: Long term local effects.
DNEL : 15 mg of substance/cm²

Exposure method: Dermal contact.
Potential health effects: Short term systemic effects.
DNEL : 2.5 mg/kg body weight/day

Exposure method: Inhalation.
Potential health effects: Short term systemic effects.
DNEL : 16.5 mg of substance/m³

Exposure method: Inhalation.
Potential health effects: Long term systemic effects.
DNEL : 2.8 mg of substance/m³

Final use: **Consumers.**
Exposure method: Ingestion.
Potential health effects: Short term systemic effects.
DNEL : 1.2 mg/kg body weight/day

Exposure method: Ingestion.
Potential health effects: Long term systemic effects.
DNEL : 0.2 mg/kg body weight/day

Exposure method: Dermal contact.
Potential health effects: Short term local effects.
DNEL : 15 mg of substance/cm²

Exposure method: Dermal contact.
Potential health effects: Long term systemic effects.
DNEL : 1.25 mg/kg body weight/day

Exposure method: Dermal contact.
Potential health effects: Long term local effects.
DNEL : 15 mg of substance/cm²

Exposure method: Inhalation.
Potential health effects: Short term systemic effects.
DNEL : 4.1 mg of substance/m³

Exposure method: Inhalation.
Potential health effects: Long term systemic effects.
DNEL : 0.7 mg of substance/m³

LINALYL ACETATE (CAS: 115-95-7)

Final use: **Workers.**
Exposure method: Dermal contact.
Potential health effects: Short term local effects.
DNEL : 8 mg of substance/cm²

Exposure method: Dermal contact.
Potential health effects: Long term systemic effects.
DNEL : 2.5 mg/kg body weight/day

Exposure method: Dermal contact.
Potential health effects: Long term local effects.

CREATION ORIGINALE KE83753 - 35998

DNEL :	8 mg of substance/cm ²
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	2.75 mg of substance/m ³
Final use:	Consumers.
Exposure method:	Ingestion.
Potential health effects:	Long term systemic effects.
DNEL :	0.2 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Short term local effects.
DNEL :	8 mg of substance/cm ²
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	1.25 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Long term local effects.
DNEL :	8 mg of substance/cm ²
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	0.68 mg of substance/m ³

1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE (CAS: 54464-57-2)

Final use:	Workers.
Exposure method:	Dermal contact.
Potential health effects:	Short term local effects.
DNEL :	101.1 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	1.73 mg/kg body weight/day
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	1.76 mg of substance/m ³
Final use:	Consumers.
Exposure method:	Ingestion.
Potential health effects:	Long term systemic effects.
DNEL :	0.25 mg/kg body weight/day
Exposure method:	Dermal contact.
Potential health effects:	Short term local effects.
DNEL :	50.6 µg of substance/cm ²
Exposure method:	Dermal contact.
Potential health effects:	Long term systemic effects.
DNEL :	0.86 mg/kg body weight/day
Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	0.43 mg of substance/m ³

DL-CITRONELLOL (CAS: 106-22-9)

CREATION ORIGINALE KE83753 - 35998

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
45.8 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
161.6 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
13.8 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term systemic effects.
27.5 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
47.8 mg of substance/m³

Predicted no effect concentration (PNEC):

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Environmental compartment:
PNEC : Soil.
9.51 mg/kg

Environmental compartment:
PNEC : Fresh water.
0.03 mg/l

Environmental compartment:
PNEC : Sea water.
0.003 mg/l

Environmental compartment:
PNEC : Fresh water sediment.
4.7 mg/kg

Environmental compartment:
PNEC : Marine sediment.
4.77 mg/kg

Environmental compartment:
PNEC : Waste water treatment plant.
10 mg/l

LINALOOL (CAS: 78-70-6)

Environmental compartment:
PNEC : Soil.
0.327 mg/kg

Environmental compartment:
PNEC : Fresh water.
0.2 mg/l

Environmental compartment:
PNEC : Sea water.
0.02 mg/l

Environmental compartment:
PNEC : Intermittent waste water.
2 mg/l

Environmental compartment:
PNEC : Fresh water sediment.
2.22 mg/kg

Environmental compartment:
PNEC : Marine sediment.

CREATION ORIGINALE KE83753 - 35998

PNEC :	0.222
LINALYL ACETATE (CAS: 115-95-7)	
Environmental compartment:	Soil.
PNEC :	0.115 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.011 mg/l
Environmental compartment:	Sea water.
PNEC :	0.0011 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	0.11 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	0.609 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.0609 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	10 mg/l
1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE (CAS: 54464-57-2)	
Environmental compartment:	Soil.
PNEC :	0.705 mg/kg
Environmental compartment:	Fresh water.
PNEC :	2.8 µg/l
Environmental compartment:	Sea water.
PNEC :	0.28 µg/l
Environmental compartment:	Intermittent waste water.
PNEC :	13 µg/l
Environmental compartment:	Fresh water sediment.
PNEC :	3.73 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.75 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	10 mg/l
DL-CITRONELLOL (CAS: 106-22-9)	
Environmental compartment:	Soil.
PNEC :	0.00371 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.0024 mg/l
Environmental compartment:	Sea water.
PNEC :	0.00024 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	0.024 mg/l
Environmental compartment:	Fresh water sediment.

CREATION ORIGINALE KE83753 - 35998

PNEC :	0.0256 mg/kg
Environmental compartment: PNEC :	Marine sediment. 0.00256 mg/kg
Environmental compartment: PNEC :	Waste water treatment plant. 580 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state : Fluid liquid.

Important health, safety and environmental information

pH : Not relevant.

Boiling point/boiling range : Not specified.

Flash Point : 91.00 °C.

Vapour pressure (50°C) : Not relevant.

Density : Not stated.

CREATION ORIGINALE KE83753 - 35998

Water solubility :	Insoluble.
Viscosity:	$v < 7 \text{ mm}^2/\text{s}$ (40°C)
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Stockage : 1 year secure from air and light and heat

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Stockage : 6 months secure from light and air, in packing of origin.

Stockage : 1 year secure from light and air, in packing of origin.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

11.1.1. Substances**Acute toxicity :**

1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE (CAS: 23696-85-7)

Dermal route : LD50 = 2900 mg/kg

EUCALYPTOL (CAS: 470-82-6)

Oral route : LD50 = 2480 mg/kg

ACETYL CEDRENE (CAS: 32388-55-9)

Oral route : LD50 = 4500 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route : LD50 = 3100 mg/kg

2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE (CAS: 103-95-7)

Oral route : LD50 = 3810 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route : LD50 = 2790 mg/kg

CREATION ORIGINALE KE83753 - 35998

DL-CITRONELLOL (CAS: 106-22-9)	
Oral route :	LD50 = 3450 mg/kg
Dermal route :	LD50 = 2650 mg/kg
2-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 88-41-5)	
Oral route :	LD50 = 4600 mg/kg
3,7-DIMETHYL-1,6-NONADIEN-3-OL (CAS: 10339-55-6)	
Oral route :	LD50 = 5000 mg/kg
BENZYL SALICYLATE (CAS: 118-58-1)	
Oral route :	LD50 = 2200 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

- CAS 93-15-2 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 94-59-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.
- CAS 93-15-2 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 98-01-1 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 100-42-5 : IARC Group 2A : The agent is probably carcinogenic to humans.
- CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.
- CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 140-11-4 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.
The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

CREATION ORIGINALE KE83753 - 35998

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran)

14.3. Transport hazard class(es)

- Classification :



9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

Not subject to this regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	9	-	III	5 L	F-A, S-F	274 335 969	E1	Category A	-

Not subject to this regulation if Q ≤ 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197	E1

Not subject to this regulation if Q ≤ 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/1480 (ATP 13)

- Container information:


No data available.

- Particular provisions :

No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=2 Inflammability=2 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

- DNEL : Derived No-Effect Level
- PNEC : Predicted No-Effect Concentration
- ADR : European agreement concerning the international carriage of dangerous goods by Road.
- IMDG : International Maritime Dangerous Goods.
- IATA : International Air Transport Association.
- ICAO : International Civil Aviation Organisation
- RID : Regulations concerning the International carriage of Dangerous goods by rail.
- WGK : Wassergefährdungsklasse (Water Hazard Class).
- GHS07 : Exclamation mark
- GHS09 : Environment
- PBT: Persistent, bioaccumulable and toxic.
- vPvB : Very persistent, very bioaccumulable.
- SVHC : Substances of very high concern.