



# Material Safety Data Sheet

Printed : 26/03/2019

: CP01-1-CLP from 26/03/2019

## CP42961 TOM SPORT

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### 1.1. Product identifier

CP42961 TOM SPORT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

For professional use in fragrance industry.

#### 1.3. Details of the supplier of the safety data sheet

Company: JEAN CLAUDE / KEMA CLUB  
107023 Россия, г. Москва  
ул. Суворовская, 6/5

Tel: +7(495)926-67-92

Email :info@kemaclub.ru

#### 1.4. Emergency telephone number

ORFILA: +33 (0) 1 45 42 59 59

### 2. HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

GHS classification according to CE 1272/2008

(Législation : CLP)

Eye Irrit. 2            Serious eye damage / eye irritation 2  
Aquatic Chronic 2    Hazardous to the aquatic environment, long-term hazard 2  
Skin Irrit. 2            Skin corrosion / irritation 2  
Skin. Sens. 1            Sensitisation skin 1

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

GHS classification according to CE 1272/2008

(Législation : CLP)

Warning mention : Warning

Eye Irrit. 2            Serious eye damage / eye irritation 2  
Aquatic Chronic 2    Hazardous to the aquatic environment, long-term hazard 2  
Skin Irrit. 2            Skin corrosion / irritation 2  
Skin. Sens. 1            Sensitisation skin 1

# Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H411 - Toxic to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - IF ON SKIN: Wash with plenty of water/...



### 2.3. Other hazards

Contains : 3,7-Dimethyl-1,6-nonadien-3-ol, Linalyl acetate, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Iso E Super), Dihydromyrcenol, alpha,alpha-Dimethyl-p-ethylphenylpropanal

## 3. COMPOSITION / INFORMATION ON INGREDIENT

Component list :

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Material	C.A.S	EINECS	Risk Symbol	Percent %
1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran (No REACH : 01-2119488227-29)	1222-05-5	214-946-9	Aquatic Acute 1, Aquatic Chronic 1 - H410	[ 0-5 ]
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (Iso E Super) (No REACH : 01-2119489989-04)	54464-57-2	259-174-3	Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1 - H315, H317, H411	[ 0-5 ]
3,7-Dimethyl-1,6-nonadien-3-ol (No REACH : 01-2119969272-32)	10339-55-6	233-732-6	Eye Irrit. 2, Skin Irrit. 2 - H315, H319	[ 0-5 ]
6,7-Dihydro-1,1,2,3,3-pentamethyl-4(5H)-indanone (No REACH : 01-2119977131-40)	33704-61-9	251-649-3	Eye Irrit. 2, Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1B - H315, H317, H319, H411	[ 0-5 ]
Acetyl cedrene	32388-55-9	251-020-3	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H317, H410	[ 0-5 ]
Allyl cyclohexanepropionate	2705-87-5	220-292-5	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1A - H302+H312, H302+H312+H332, H302+H332, H317, H410	[ 0-5 ]
Butylated hydroxytoluene (No REACH : 01-2119480433-40)	128-37-0	204-881-4	Aquatic Acute 1, Aquatic Chronic 1 - H410	[ 0-5 ]

## Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

Cedrol methyl ether	19870-74-7	243-384-7	Aquatic Acute 1, Aquatic Chronic 1, Skin. Sens. 1B - H317, H410	[ 0-5 ]
Dihydromyrcenol (No REACH : 01-2119457274-37)	18479-58-8.	242-362-4	Eye Irrit. 2, Skin Irrit. 2 - H315, H319	[ 0-5 ]
ESS. VETYVER	8016-96-4	282-490-8	Eye Irrit. 2, Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1A - H315, H317, H319, H411	[ 0-5 ]
Linalyl acetate (No REACH : 01-2119454789-19)	115-95-7.	204-116-4	Eye Irrit. 2, Skin Irrit. 2, Skin. Sens. 1A - H315, H317, H319	[ 0-5 ]
PRECYCLEMONE B (No REACH : 01-2120735080-68)	52475-86-2	257-942-2	Aquatic Acute 1, Aquatic Chronic 1 - H410	[ 0-5 ]
Turpentine oil	8006-64-2	232-350-7	Asp. Tox. 1, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2, Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1A - H302+H312, H302+H312+H332, H302+H332, H304, H315, H317, H319, H411	[ 0-5 ]
alpha,alpha-Dimethyl-p-ethylphenylpropanal (No REACH : 01-2120758796-34)	67634-15-5	266-819-2	Aquatic Chronic 2, Skin Irrit. 2, Skin. Sens. 1 - H315, H317, H411	[ 0-5 ]
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	214-881-6	Aquatic Chronic 2, Skin. Sens. 1B - H317, H411	[ 0-5 ]

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

**Contact with skin** : wash immediately and abundantly with water and soap. Rinse then with clear water.

**Contact with eyes** : Abundant rinsing with water (15 minutes with open eyelids).

**In the event of swallowed** : Rinse mouth with water.

**Soiled clothing** : withdraw soiled clothing.

If symptoms persist, consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Unavailable data

#### 4.3. Indication of any immediate medical attention and special treatment needed

Refer to § 4.1

### 5. FIRE FIGHTING

#### 5.1. Extinguishing methods

CO<sub>2</sub>, powder or foam.

#### 5.2. Special hazards arising from the substance or mixture

**Flammability** : The product is not flammable.

**Prevention** : Do not smoke. Do not use flame near.

#### 5.3. Advice for firefighters

Fire procedures for chemical origin.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

## Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

Use appropriate personal protective equipment. Respect §2.2 recommendations.

### **6.2. Environmental precautions**

Do not allow to enter sewers/surface or ground water.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand or inert absorbant product). Eliminate waste and waters according to applicable regulations.

### **6.4. Reference to other sections**

Not applicable

## 7. HANDLING AND STORAGE

### **7.1. Precautions for safe handling**

Close packaging after use. Reprint labelling if transfer in another container.

### **7.2. Conditions for safe storage, including any incompatibilities**

- Keep away from food and drinks.
- Preserve only in the container of origin in a fresh place, between 15 and 25°C. Keep the containers closed when not in use.
- Do not let it near heat source, direct rays of the sun

### **7.3. Specific end use(s)**

Not applicable

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **8.1. Control parameters**

Not applicable.

### **8.2. Exposure controls**

General protective and hygienic measures: Avoid skin and eyes contact. Do not eat. Keep away from foodstuffs, beverages and feed.

#### Personal Protection :

- Hand protection: Wear gloves.
- Eye protection: Wear glasses.
- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respect §2.2 recommendations

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### **9.1. Information on basic physical and chemical properties**

COLOR :	<b>PALE YELLOW TO YELLOW</b>
APPEARENCE :	<b>LIQUID</b>
HYDROSOLUBILITY :	<b>NO</b>
SOLUBILILY WITH SOLVENT :	<b>ETHANOL</b>

## Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

RELATIVE DENSITY (20°C) : **[0.984 ; 0.994]**

REFRACTIVE INDEX (20°C) : **[1.447 ; 1.457]**

FLASH POINT (°C) : **>93°C**

### **9.2. Other information**

Not applicable

## 10. STABILITY AND REACTIVITY

### **10.1. Reactivity**

No particular danger.

### **10.2. Chemical stability**

Stable in normal conditions of storage and use.

### **10.3. Possibility of hazardous reactions**

Avoid contact with acids, bases and oxidizing agents.

### **10.4. Conditions to avoid**

Direct source of heat.

### **10.5. Incompatible materials**

Acids - bases - oxidizing agents.

### **10.6. Hazardous decomposition products**

In case of combustion: Possibility of CO, CO<sub>2</sub> and unidentified organic compounds liberation.

## 11. TOXICOLOGICAL INFORMATION

### **11.1. Information on toxicology**

This mixture was not the object of tests of ecotoxicity as such, but it is constituted by substances having a bibliography established on their ecotoxicity. Substances of this mixture taken into account to determine the toxic potential effects are listed in the section 3.

## 12. ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Do not let the product penetrate the ground water, water or the drains.

### **12.2. Persistence and degradability**

Unavailable data

### **12.3. Bioaccumulative potential**

Unavailable data

### **12.4. Mobility in soil**

Unavailable data

### **12.5. Results of PBT and vPvB assessment**

## Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

Unavailable data

### 12.6. Other adverse effects

Unavailable data

## 13. DISPOSAL RECOMMENDATIONS

### 13.1. Waste treatment methods

Eliminate waste according to current regulations

## 14. TRANSPORT INFORMATION

ADR:



IMDG:



IATA:



### 14.1. UN number

ADR : 3082 ( Tunnel code :(E) )

IMDG:3082

IATA :3082

### 14.2. UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)

IMDG:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)

IATA :ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran)

### 14.3. Transport hazard class(es)

ADR : 9

IMDG:9

IATA :9

### 14.4. Packaging group

ADR : III

IMDG:III

## Material Safety Data Sheet

Printed : 26/03/2019

CP42961 TOM SPORT

: CP01-1-CLP from 26/03/2019

IATA :III

### **14.5. Environmental hazards**

IMDG : Material of marine polluting type :

### **14.6. Special precautions for user**

Refer to § 2

### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## 15. REGULATORY INFORMATION

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Classification according to CE 830/2015 and CE 1272/2008.

### **15.2. Chemical safety assessment**

Unavaible data

## 16. OTHER INFORMATION

### **Complete text of sentences H in point 3 :**

H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H302+H332	Harmful if swallowed or if inhaled
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

These indications are established on the current state of our knowledge, according to the data obtained from our suppliers. They do not constituted a guarantee and do not give rise to a contractual legal report.